Amendment

A list of claims follows:

- 1. (currently amended) A boat comprising:
 - a. a deck including a receptacle; and
- b. an accessory firmly connected thereto to the deck but removable therefrom, the accessory (i) being fitted into the receptacle in use and (ii) including a quick-release fastener received by the receptacle in use.
- 2. (original) A boat according to claim 1 further comprising at least one buoyancy tube.
- 3. (original) A boat according to claim 2 further comprising a transom to which an outboard motor may be mounted and in which the accessory is a console.
- 4. (original) A boat according to claim 3 further comprising means for connecting the console to any outboard motor mounted to the transom.
- 5.-6. cancelled
- 7. (currently amended) A boat according to claim 61 in which the receptacle is included in a plate incorporated into the deck.

- 8. (original) A boat according to claim 7 in which the deck is removable and comprises multiple foldable sections.
- 9. (original) A boat according to claim 1 in which the accessory comprises a seat structure.
- 10. (original) A boat according to claim 9 in which the seat structure comprises:
 - a. a seat; and
 - b. a container.
- 11. (original) A boat according to claim 10 in which the container is a fuel tank.
- 12. (currently amended) A method of making an inflatable boat having a length more compact for storage or transport, comprising:
 - a. deflating an inflatable element;
- b. disconnecting at least one accessory from a deck spanning substantially the length of the boat; and
 - c. removing the deck.
- 13.-20. cancelled

- 21. (original) A boat according to claim 1 further comprising at least one D-ring, connected directly or indirectly to the deck, for connecting the accessory thereto.
- 22. (original) A boat according to claim 21 in which the D-ring is moveable and projects only slightly above the deck when not in use.
- 23. (original) A boat according to claim 21 further comprising:
 - a. a plate to which the D-ring is attached;
 - b. a bottom plate positioned underneath the deck; and
 - c. a fastener connecting the plate and the bottom plate.